



Product Range



30 W

7 W / 9 W / 12 W



15 W / 18 W / 20 W










Product at a Glance



Mono Crystalline Solar PV module



PIR Motion Sensor

Maintenance free Lithium Ferro Phosphate battery

LED Light MPPT Solar Charge Controller Extruded Aluminium housing



Solar Panel & Charge Controller



- ☐ Mono Crystalline Solar PV Module
- ☐ Higher efficiency > 17% for faster charging
- ☐ Anti Reflective Glass Coating
- □ Solar Panel Made in India
- MPPT Solar Charge Controller(SCC) for high performance
- Automatic dusk to dawn operation





Battery





- ☐ High grade Lithium Ferro Phosphate battery LiFep04
- ☐ BIS Approved Cells
- ☐ Inbuilt BMS for Battery Safety & Enhanced battery life.
- ☐ Operating temperature -20 Degree to + 55 Degree
- ☐ Designed for 2000 life cycle : > 5yrs life
- □ Faster Charging
- Maintenance free



Luminaire & Housing



- ☐ Higher System Lumen Output > 125 Lumen / Watt
- \blacksquare LED life Span > 50000 hrs.
- ☐ Customized Lens for achieving light distribution as per standard
- □ PIR Motion Sensor for Automatic brightening & dimming
- Aluminum Extruded alloy fixture corrosion proof
- ☐ IP 65 protection for Internal Components





PIR Motion Sensor










Installation Benefits









Safety & Transportation









Advantages over standard solar streetlight



Description	Standard Solar Street light system	ALL-IN-ONE Solar Street Light 6 Months			
Battery Shelf Life	3 Months				
No of Components	10 nos	1 nos			
Wiring required	Yes	NO			
Wall mounting	No	Yes			
Installation on existing pole	No	Yes			
Safety of battery	Acid leakage & damage during transportation	Safe & Easy to transport			
Transportation cost	Approx. 120 kg per system.	Approx. 8-20 kg			
Installation	Approx. Rs.3500 per system	Easy and faster installation, Approx Rs1000 per system			
Maintenance Cost	For 5 years – approx. 10 K (considering 2 K per year with 1 visit quarterly) CLASSIFICATION PUBLIC	Maintenance free battery			



Summary - Why Havells?





- 20 % Higher Capacity Mono Solar PV Module as compared to competitions
- ☐ Bigger LiFeP04 Battery for longer duration
- BMS for battery safety
- ☐ Customized Optical Lens for Light distribution
- ☐ Specially designed for Indian climatic conditions
- ☐ Maintenance free system with 5-6 years life
- Theft Retardant system
- ☐ Easy to Store, Install, Dismount & Transport
- MADE IN INDIA

ION | PUBLIC



ALL-IN-ONE Technical Specfication



Model No.	LHSTAKU7CBAF 007	LHSTAKU7CBAF 009	LHSTAKU7CBAF 012	LHSTAKU7CBA F015	LHSTAKU7CBAF 018	LHSTAKU7CBAF 020	LHSTAKU7CBAF0 24	LHSTAKU7CBAF 030
Solar panel	20 W	20 W	30 W	40 W	40 W	50 W	60 W	70 W
LED power	7W	9 W	12 W	15 W	18 W	20 W	24 W	30 W
Battery capacity	10.5 Ah	10.5 Ah	14 Ah	18 Ah	21 Ah	24 Ah	30 Ah	36 Ah
Lumen(LM)	>945lm	>1150lm	>1500lm	>2000lm	>2300lm	>2300lm >2650lm		>3800lm
LED life time	50000hrs	50000hrs	50000hrs	50000hrs	50000hrs 50000hrs		50000hrs	50000hrs
Viewing angle	120°	120°	120°	120°	120°	120°	120°	120°
Charging time	1 day	1 day	1 day	1 day				
Autonomy	2 days	2 days	2 days	2 days				
ССТ(К)	5700K	5700K	5700K	5700K	5700K	5700K	5700K	5700K
Mounting height	4m	4m	5m	5m	5-6m	5-6m	5-6m	5-6m
Working temp.	-10-+55C	-10-+55C	-10-+55C	-10-+55C	-10-+55C	-10-+55C	-10-+55C	-10-+55C
Dimension(m m)	450*382*55	450*382*55	656*382*55`	791*382*55	791*382*55	1026*382*55	1230*382*55	1320*382*55
Net weight	8.0KG	8.4KG	9.0KG _C	_ASSIFTCATION PUE	_{BLIC} 11.5 Kg	16.5 Kg	18.5 Kg	19 Kg



ALL-IN-ONE Solar Street light Range



Sr. No.	FG Code	System Voltage	Luminaire Wattage	Lumen/ watt	Solar Charge Controller	Solar PV Module (Wp)	Battery (Ah) - Lifep04	Backup	List Price
1	LHSTAKU7CBAF007	12	7 W	>125	MPPT	20 W	12.8 V 10.5 Ah	2 days	25,700.00
2	LHSTAKU7CBAF009	12	9 W	>125	MPPT	20 W	12.8 V 10.5 Ah	2 days	27,500.00
3	LHSTAKU7CBAF012	12	12 W	>125	MPPT	30 W	12.8 V 14 Ah	2 days	29,500.00
4	LHSTAKU7CBAF015	12	15 W	>125	MPPT	40 W	12.8 V 18 Ah	2 days	35,700.00
5	LHSTAKU7CBAF018	12	18 W	>125	MPPT	40 W	12.8 V 21 Ah	2 days	43,000.00
6	LHSTAKU7CBAF020	12	20 W	>125	MPPT	50 W	12.8 V 24 ah	2 days	45,800.00
7	LHSTAKU7CBAF024	12	24 W	>125	MPPT	60 W	12.8 V 30 ah	2 days	53,100.00
8	LHSTAKU7CBAF030	12	30 W	>125	MPPT	70 W	12.8 V 36 Ah	2 days	62,500.00



ALL-IN-ONE Solar Street light – T&C



Terms & Condition

- 1. Standard discount: 40 % on the List Price
- 2. Taxes: Extra. GST @ 5%
- 3. Transportation: Included in price. Delivery to any one location within city limits
- 4. Warranty: Two years against manufacturing defects from the date of supply. Warranty offered is off-site warranty.
- 5. Installation and commissioning: In customer scope. The Installation shall be done as per Havells guidelines and any deviation shall make the warranty void.
- 6. Delivery period :- 3-4 weeks from date of Confirmed PO.
- 7. Payment Terms: 100 % Advance along with PO
- 8. Poles Not included in this offer. Shall be offered considered separately







Contact Us

HAVELLS INDIA LIMITED,

QRG Towers, 2D, Sec- 126, Express way, Noida - 201304 UP (India) Tel: + 91- 120- 3331000

Fax: +91 - 120- 3332000